



COPIERS

BRAND	MODEL	Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Aurora	AD-158	36.30	3.4	10		15					S	D	HP	2004	1015850
Aurora	AD-159	35.00	0.1	22		15					S	D	HP	2003	1013787
Aurora	AD-159P	35.00	0.1	22		15					S	D	HP	2003	1013790
Aurora	AD-165	32.00	3	10		16			x		S	D	HP	2003	1006257
Aurora	AD-209	44.00	0.1	22		20	x		x		S	D	HP	2003	1013791
Aurora	AD-259	71.00	4	30		25	x		x		S	D	HP	2003	1013792
Aurora	AD-359	71.00	4	35		35	x		x		S	D	HP	2003	1013793
Aurora	AD-409	71.00	4	35		40	x		x		S	D	HP	2003	1013794
Aurora	AD-459	153.00	1	27		45	x				S	D	HP	2003	1013789
Aurora	AD-559	150.00	1	27		55					S	D	HP	2003	1013788
Canon	C130	0.00	0			13					S		RA	2003	16146
Canon	C130F	0.00	0			13					S		RA	2003	16148
Canon	C210	22.00	1			21					S			2003	16151
Canon	imageRUNNER 600V	141.00	6	1		60	x	x			S	D	H	2003	1015116
Canon	iR1605		4.2			16					S		H	2004	2030309
Canon	iR2016J	2.80	2.8	10		16			x		S	D		2005	2030557
Canon	NP6035F	127.00	2.3	30		35	x				S		H	2003	16149
Canon	NP7130	0.00	0			13					S		RA	2003	16145
Canon	NP7130F	0.00	0			13					S		RA	2003	16147
Canon	NP7500	122.00	6	1		50	x	x			S		H	2002	16207
Canon	PC 160		0.8			4					S	A		2005	1031433
Canon	PC425		3			4					S			2003	16204
Canon	PC428		3			4					S		RA	2002	16208
Canon	PC920	0.00	0			10					S		RA	2003	16140
Canon	PC921	0.00	0			10					S		RA	2003	16141
Canon	PC950	0.00	0			13					S		RA	2003	16142
Canon	PC980	0.00	0			13					S		RA	2003	16143
Canon	PC981	0.00	0			13					S		RA	2003	16144
Copystar	CS-1500	37.60	3.7	5		15					S	D		2003	1003526
Copystar	CS-1620	32.00	3	10		16			x		S	D		2003	1006252
Copystar	CS-2225	48.00	0	15		25	x				S		HP	2003	14637
Gestetner	1312		1.0			16	x		x		S	D	HP	2003	2030043
Gestetner	DSm415		1.0			15	x			9	S		HP	2004	2030293
Konica	1216		4.3			16					S		HP	1998	1017422
Konica	1312		4.4			12					S		HP	1999	1017423
Kyocera	KM-1500	37.60	3.7	5		15					S	D		2003	1003525
Kyocera Mita	KM-1500	36.28	3.4	10		15					S	D	HP	2003	2030037
Kyocera Mita	KM-1620	31.00	3.3	10		75	x			50	S	D	HP	2003	2030038
Kyocera Mita	KM-1620 (US)	32.00	3.0	10		16			x		S	D		2003	1006251
Lanier	5218	74.00	0	10		18					S		HP	2003	11539
Lanier	5222	80.00	10	30		22	x			22	S		HP	2003	11540
Lanier	5227	80.00	10	30		27	x			22	S		HP	2003	11541
Lanier	5255	205.00	16.5			55	x	x		44	S			2003	11547
Lanier	5355	199.00	0			55	x	x		55	S			2003	11537
Lanier	5365	199.00	0	68		65	x			65	S			2003	11538
Lanier	5415	1.40		34		15					S		H	2003	11570



COPIERS

BRAND	MODEL	Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Lanier	5415	1.40	0	34		15	x	x			S		H	2003	17915
Lanier	5435	130.00	10	30		35	x	x		30	S		HP	2003	11543
Lanier	5445	143.00	10	30		45	x	x		32	S		HP	2003	11542
Lanier	5455	213.00	12	25		55	x	x		52	S		HP	2003	11545
Lanier	5470	236.00	12	25		70	x	x		62	S		HP	2003	11546
Lanier	5485	293.00	11	40		85	x	x		79	S		HP	2003	11544
Lanier	5505	293.00	11	30		105	x	x		89	S		HP	2003	11569
Lanier	5515	80.00	1.0	30		15								2001	11575
Lanier	5518	80.00	1.0	30		18							HP	2001	11576
Lanier	5613	50.00	2.0	10		13					S		HP	2001	11579
Lanier	5618	80.00	1.0	30		18	x	x			S			2001	11577
Lanier	5813	190.00	12.0	320		51	x				S		HP	2001	11578
Lanier	5613F	60.00	2.0	10		13					S		HP	2001	11580
Lanier	LD0105	350.00	6.0	40		90	x	x			S	D	HP	2003	1001966
Lanier	LD013		1.0			16	x		x		S	D	HP	2003	2030042
Lanier	LD015		1.0			15	x			9	S		HP	2004	2030294
Lanier	LD090	340.00	6.0	40		90	x	x			S	D	HP	2003	1001965
Lanier	LW 110/LW 111			1		32					L	A	HP	2002	11583
Lanier	LW 210		0			7.5					L	A	H	2002	11584
Minolta	EP1030F		0.1			13					S	A		1997	1006248
Minolta	EP1030F (US)		0.1			13					S			1997	13013
Minolta	EP4000 CS/Pro	136.99	5.2			40	x	x		16	S	A		1997	13008
Minolta	EP6001	224.00	18.5			60	x	x		28	S	A		1997	13010
Nashuatec	1315		1.0			16	x		x		S	D	HP	2003	2030041
Nashuatec	DSm415		1.0			15	x			9	S		HP	2004	2030291
Océ	TDS100		9			28								2005	1032797
Océ	2600	0.00	23.4			100	x	x		100	S			1995	12430
Océ	3023	42.00	0.0	3		23	x			15	S		H	2003	12433
Océ	3045	0.00	17.0			45	x	x		30	S			1996	12431
Océ	3055	180.00	1.0	3		55	x			40	S		HP	2003	12434
Océ	3075	0.00	13.0			75	x	x		75	S			1997	12427
Océ	3100	325.00	10.0	190		100	x	x		100	S		H	2003	12435
Océ	3165	0.00	17.0			62	x	x		42	S			1997	12426
Océ	7050	13.00	13.0			26					L			1999	12421
Océ	3155E DC	200.00	4	10			x	x			S	D		1998	1032870
Océ	3165E DC	236.00	2	10			x	x		62	S	D	HP	2003	1000450
Océ	VarioPrint 2055 DC	200.00	5	9			x	x			S	D		2003	1032866
Océ	VarioPrint 2065 DC	200.00	5	9			x	x		62	S	D		2003	1032869
Olivetti	d-Copia 16	32.00	3.0	10		16			x		S	D	HP	2003	1010844
Olivetti	d-Copia 200	31.00	3.3	10		20			x		S	D	HP	2004	1015851
Panasonic	FP-D355	9.00	9	60		35								2003	15602
Panasonic	FP-D455	15.00	15	60		45								2003	15601
Panasonic	FP-D605	15.00	15	60		60								2003	15600
Rex Rotary	1318		1.0			16	x		x		S	D	HP	2003	2030040
Rex Rotary	DSm415		1.0			15	x			9	S		HP	2004	2030292
Ricoh	Aficio 1013	50.00	2.0	10		13					S		HP	2001	12951



COPIERS

BRAND	MODEL	Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Ricoh	Aficio 1013F	60.00	2.0	10		13					S		HP	2001	12952
Ricoh	Aficio 1050	293.00	11	30		105	x	x			S		HP	2003	12953
Ricoh	Aficio 1113		1.0			16	x		x		S	D	HP	2003	2030039
Ricoh	Aficio 1113 (US reg.)	70.00	1.0	10		13					S	D	HP	2003	1006269
Ricoh	Aficio 150	30.00	0	30		15					S		HP	2003	12895
Ricoh	Aficio 1515		1.0			15	x			9	S		HP	2004	2030290
Ricoh	Aficio 180	30.00	0	30		18					S		HP	2003	12896
Ricoh	Aficio 2090	340.00	6.0	40		90	x	x			S	D		2003	1002031
Ricoh	Aficio 2105	350.00	6.0	40		105	x	x			S	D		2003	1002032
Ricoh	Aficio 220	80.00	10	3		22	x	x		22	S		HP	2003	12897
Ricoh	Aficio 270	80.00	10	30		27	x	x		22	S		HP	2003	12898
Ricoh	Aficio 350e	130.00	10	30		35	x	x		30	S		HP	2003	12899
Ricoh	Aficio 450e	143.00	10	30		45	x	x		32	S		HP	2003	12900
Ricoh	Aficio 550	205.00	16.5			55	x	x		44	S			2003	12905
Ricoh	Aficio 551	213.00	9	30		55	x	x			S			2003	12948
Ricoh	Aficio 700	225.00	9	30		70	x	x			S			2003	12947
Ricoh	FT2012/FT2212	0.00	0.0			12					S		HP	1998	12917
Ricoh	FT3813	30.00	0.0	30		13				0	S		HP	2003	12901
Ricoh	FT4622	89.70	9.0			22				13	S		HP	1998	12920
Ricoh	FT4822	89.70	9.0			22	x	x		13	S		HP	1998	12921
Ricoh	FT5632	128.20	9.0			32				17	S		HP	1998	12922
Ricoh	FT5832	128.20	9.0			32	x	x		17	S		HP	1998	12923
Ricoh	FT5840	159.00	9.0			40	x	x		20	S		HP	1998	12924
Ricoh	FT7950	185.00	1.0			50	x	x		35	S			2003	12904
Ricoh	FT7960	210.00	1.0			60	x	x		41	S			2003	12906
Ricoh	FT7970	210.00	1.0			70	x	x		42	S			2003	12903
Ricoh	FW7030D	0.00	0			3.6					L			2003	12907
Ricoh	FW870	0.00	0.0			7.5					L		H	1998	12933
Sharp	AL-1215	37.30	3	7.43		12					S			2003	17942
Sharp	AL-1600	0.00	0			16					S			2003	17919
Sharp	AL-1610	0.00	0			16					S			2003	17920
Sharp	AL-1611	60.30	0.0	10		16					S	D		2003	1002030
Sharp	AL-1620	0.00	0			16					S			2003	17921
Sharp	AL-1621	0.00	0			16					S			2003	17922
Sharp	AL-1622	60.30	0.0	10		16					S	D		2003	1002029
Sharp	AL-1631 (U.S./Canada)	15.00	3.3	31.03		16					S	D		2003	1011040
Sharp	AR-162S		0	10.88		16					S			2003	17941
Sharp	SF-2530	110.50	0			30					S			2003	17917
Sharp	SF-2540	133.20	0			40					S			2003	17918
SINDORICOH	MyCopy 1000	0.00	4.5			10					S			2003	13420
SINDORICOH	MyCopy 1100	0.00	4.5			10					S			2003	13417
SINDORICOH	SPIRIO 4230	85.00	9.3			27					S			2003	13418
SINDORICOH	SPIRIO 4240	85.00	9.3			27	x	x			S			2003	13419
TA Triumph-Adler	DC 2016	31.00	3.3	10		75	x			50	S	D	HP	2003	2030047
TA Triumph-Adler	DC 2025	51.00	0.0	30		25	x				S		HP	2001	13776
TA Triumph-Adler	DC 2035	51.00	0.0	30		35	x				S		HP	2001	13777
TA Triumph-Adler	DC 2315	36.28	3.4	10		15					S	D	HP	2003	2030044
UTAX	C 148	16.00	0.2			14					S			2003	13765
UTAX	C 149	16.00	0			14					S			2003	13766



COPIERS

BRAND	MODEL	Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
UTAX	C 157	48.00	5			15					S			2003	13767
UTAX	C 187	36.40	0			18					S			2003	13768
UTAX	C 218	40.00	0			20				18	S			2003	13769
UTAX	C 237	42.20	0			23				19	S			2003	13770
UTAX	C 307	94.60	0			30				25	S			2003	13771
UTAX	C 407	127.00	0			40				33	S			2003	13772
UTAX	C 518	14.30	14.3			51				43	S			2003	13773
UTAX	C 98	16.00	0			12					S			2003	13764
UTAX	CD 21	63.50	0			20					S			2003	13761
UTAX	CD 41	144.00	0	4.5		40	x				S		H	2003	13763
UTAX	CD 51	167.00	0	4.5		50	x				S		H	2003	13762
UTAX	CD 1016	31.00	3.3	10		75	x			50	S	D	HP	2003	2030046
UTAX	CD 1025	51.00	0.0	30		25	x				S		HP	2001	13775
UTAX	CD 1035	51.00	0.0	30		35	x				S		HP	2001	13774
UTAX	CD 1315	36.28	3.4	10		15					S	D	HP	2003	2030045
Xerox	1010	277.00	17	110		101	x				S		Q	2003	1000416
Xerox	2101	211.80	13.7	60		101	x				S	D	H	2003	1009513
Xerox	5885	320.00	14.9			85	x	x		64	S			2003	14292
Xerox	5900	350.00	14.8	25		120	x			60	S		H	2003	14303
Xerox	5990	285.00	15	25		100	x			50	S		H	2003	14290
Xerox	5995	349.00	15	25		100	x			50	S		H	2003	14291
Xerox	5900I	330.00	14.8	25		120	x			60	S		H	2003	14289
Xerox	Copy Centre C118		1.5			15					S			2005	1027554
Xerox	Copy Centre C123	90.00	1	6		23	x							2004	1022760
Xerox	Copy Centre C128	100.00	1	6		28	x							2004	1022761
Xerox	CopyCentre 133	90.00	1	6		33	x							2005	1030950
Xerox	CopyCentre C20	28.00	0	28		22	x	x			S	D	H	2004	1017875
Xerox	CopyCentre C2128	71.00	0	10	x	28	x	x		14	S	A / D		2004	1023254
Xerox	CopyCentre C2636	71.00	0	10	x	36	x	x		18	S	D		2004	1023255
Xerox	CopyCentre C32	89.00	0.1	10	x	32	x				S	D	HP	2003	1004217
Xerox	CopyCentre C35, XEW1 or XEW2	116.00	3.7	28		35	x			19	S	D	HP	2003	1004222
Xerox	CopyCentre C3545	71.00	0.2	10		45	x	x			S	A / D		2004	1023253
Xerox	CopyCentre C40	89.00	0.1	10	x	40	x				S	D	HP	2003	1004216
Xerox	CopyCentre C45, XEW1 or XEW2	116.00	3.7	28	x	45	x	x		24	S	D	HP	2003	1004219
Xerox	CopyCentre C55, XEW1 or XEW2	116.00	3.7	28		55	x	x		29	S	D	HP	2003	1004220
Xerox	CopyCentre C75	259.00	4.5	90		75	x	x			S	D		2003	1006256
Xerox	CopyCentre C90	257.00	3.3	90		90	x	x			S	D		2003	1006253
Xerox	Doc. Center 555 DC	125.00				55					S		HP	2003	14310
Xerox	Doc. Color Series 50	100.00	4			50	x	x		25	S			2003	14283
Xerox	DocuCentre 490DC	341.00	3.1	15		90	x			45	S		H	2003	14304
Xerox	DocuColor 12	100.00	4.0			50	x	x		25	S			2003	14284
Xerox	Document Centre 455	205.00	1	28		55	x	x			S	D		2003	1006254
Xerox	Document Centre 465	230.00	3.7	75		65	x	x			S	D		2003	1006255
Xerox	Document Centre 535DC	110.00	3	28		35				19	S		HP	2003	14308
Xerox	Document Centre 545DC	125.00	3	28		45	x			24	S		HP	2003	14309
Xerox	DocumentCentre 332DC	123.00	8			32	x	x		18	S			2003	14293
Xerox	DocumentCentre 340DC	123.00	8			40	x	x		19	S			2003	14294
Xerox	DocumentCentre 432DC	123.00	2.8	25		32	x	x		18	S		HP	2003	14288
Xerox	DocumentCentre 440DC	123.00	2.8	25		40	x	x		20	S		HP	2003	14287
Xerox	DocumentCentre 460DC	205.00	1	28		55	x	x		20	S		HP	2003	14301
Xerox	DocumentCentre 470DC	230.00	3.7	75		65	x	x		35	L		H	2003	14302
Xerox	DocumentCentre 480DC	280.00	4.5	90		75	x	x		40	L		H	2003	14286



COPIERS

BRAND	MODEL	Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Xerox	DocumentCentre 555DC	125.00	3	28		55					S		HP	2003	14305
Xerox	DocumentCentre 651	230.00	3.7	75		65	x	x		35	S		H	2003	14285
Xerox	DocuTech 120 Digital Copier	301.00	11.3			120	x				S	D	H	2003	1013320
Xerox	WorkCentre Pro 423DC	8.00	1.2	10		23	x			22.5	S		HP	2002	14306
Xerox	Workcentre Pro 428DC	8.00	1.2	10		28	x			22.5	S		HP	2002	14307